


# How to Care for a Baby with NAS



## Use the Right Words

I was exposed to substances in utero. I am not an addict. And my mother may or may not have a Substance Use Disorder (SUD).




## Treat Us as a Dyad

Mothers and babies need each other. Help my mom and me bond. Whenever possible, provide my care alongside her and teach her how to meet my needs.




## Support Rooming-In

Babies like me do best in a calm, quiet, dimly-lit room where we can be close to our caregivers.



## Promote Kangaroo Care

Skin-to-skin care helps me stabilize and self-regulate. It helps relieve the autonomic symptoms associated with withdrawal and promotes bonding.



## Try Non-Pharmacological Care

Help me self-soothe. Swaddle me snugly in a flexed position that reminds me of the womb. Offer me a pacifier to suck on. Protect my sleep by "clustering" my care.



## Support Breastfeeding

Breast milk is important to my gastrointestinal health and breast feeding is recommended when moms are HIV-negative and receiving medically-supervised care. Help my mother reach her pumping and breastfeeding goals.



## Treat My Symptoms

If I am experiencing withdrawal symptoms that make it hard for me to eat, sleep, and be soothed, create a care plan to help me wean comfortably.



Academy of Perinatal  
Harm Reduction

[www.perinatalharmreduction.org](http://www.perinatalharmreduction.org)




[www.nationalperinatal.org](http://www.nationalperinatal.org)

# How to Care for a Baby with NAS



## Use the Right Words

I was exposed to substances in utero. I am not an addict. And my parent may or may not have a Substance Use Disorder (SUD).




## Treat Us as a Dyad

Parents and babies need each other. Help us bond. Whenever possible, provide my care alongside their's and teach them how to meet my needs.




## Support Rooming-In

Babies like me do best in a calm, quiet, dimly-lit room where we can be close to our caregivers.



## Promote Kangaroo Care

Skin-to-skin care helps me stabilize and self-regulate. It helps relieve the autonomic symptoms associated with withdrawal and promotes bonding.



## Try Non-Pharmacological Care

Help me self-soothe. Swaddle me snugly in a flexed position that reminds me of the womb. Offer me a pacifier to suck on. Protect my sleep by "clustering" my care.



## Support Breastfeeding

Breast milk is important to my gastrointestinal health and breast feeding is recommended when moms are HIV-negative and receiving medically-supervised care. Help my parents reach their pumping and breastfeeding goals.



## Treat My Symptoms

If I am experiencing withdrawal symptoms that make it hard for me to eat, sleep, and be soothed, create a care plan to help me wean comfortably.



Academy of Perinatal  
Harm Reduction

[www.perinatalharmreduction.org](http://www.perinatalharmreduction.org)



[www.nationalperinatal.org](http://www.nationalperinatal.org)


# How to Care for a Baby with NOW

## (Neonatal Opioid Withdrawal)



### Use the Right Words

I was exposed to substances in utero. I am not an addict. And my parent may or may not have a Substance Use Disorder (SUD).




### Treat Us as a Dyad

Parents and babies need each other. Help us bond. Whenever possible, provide my care alongside their's and teach them how to meet my needs.




### Support Rooming-In

Babies like me do best in a calm, quiet, dimly-lit room where we can be close to our caregivers.



### Promote Kangaroo Care

Skin-to-skin care helps me stabilize and self-regulate. It helps relieve the autonomic symptoms associated with withdrawal and promotes bonding.



### Try Non-Pharmacological Care

Help me self-soothe. Swaddle me snugly in a flexed position that reminds me of the womb. Offer me a pacifier to suck on. Protect my sleep by "clustering" my care.



### Support Breastfeeding

Breast milk is important to my gastrointestinal health and breast feeding is recommended when parents are HIV-negative and receiving medically-supervised care. Help my parents reach their pumping and breastfeeding goals.



### Treat My Symptoms

If I am experiencing withdrawal symptoms that make it hard for me to eat, sleep, and be soothed, create a care plan to help me wean comfortably.



Academy of Perinatal  
Harm Reduction

[www.perinatalharmreduction.org](http://www.perinatalharmreduction.org)



[www.nationalperinatal.org](http://www.nationalperinatal.org)